

MAJOR PRODUCT CHANGES**OVERVIEW**

The 2011 Super Duty® Chassis Cab reinforces the long tradition of F-Series toughness and continues to meet the needs of a multitude of commercial vocations, as well as personal use towing customers. Trademark "Built Ford Tough®" attributes such as capability to get the job done, quality, reliability, power, breadth and depth of product choices are solidly behind Chassis Cab users

MODEL/SERIES/AVAILABILITY CHANGES

- F-450/F-550 Lariat Chassis Cabs standard w/6.7L 4V V8 Turbo Diesel
- F-350 DRW increases to 13,300 lbs. GVWR
- Available Early 2011: Release F-350 SRW Chassis Cab at 10,000 lbs GVWR with 18" wheels/tires and 9800 lbs GVWR with 17" wheels/tires

PACKAGES/OPTIONS ADDED**FUNCTIONAL/POWERTRAIN**

- 6.2L 2V E-85 Flex-Fuel Gas Engine (includes engine-idle meter) available on all F-250/F-350
- 6.7L 4V V8 Turbo Power Stroke® Diesel B20 capable available on all series. Includes Diesel Emission Fluid (DEF) system, which delivers Cleanest Super Duty® Truck Diesel Ever. Also includes Engine Exhaust Braking integrated in tow/haul mode.
- F450/550 equipped with the 6.7L Power Stroke® Diesel now includes Split-Shaft calibration compatibility
- Heavy-Duty 6-Speed SelectShift Automatic™ Transmission, with Range Select and Tow/Haul feature. Included on all engines
- Trailer Sway Control with Hill Start Assist feature standard on SRW
- Electronic-Locking Differential Optional on SRW

EXTERIOR

- New Grille (mounted on body)
- Exterior Backup Chime
- New "3 blink" lane change signal

INTERIOR

- New Individual 40/40 Driver & Passenger Front-Seats w/Center Flow Thru Mini Console
- 40/20/40 Front-Seat w/Center Armrest and Locking Center 20% Under-Seat Storage available on XLT & Lariat
- New 10-way Power Driver & Passenger Seats standard on Lariat
- Climate Controlled Driver & Passenger Front-Seats
- New SuperCab 60/40 Rear-Seat w/Flip-Up Feature
- New Crew Cab 60/40 Rear-Seat w/Flip-Up/Fold-Down Feature includes under-seat storage (locking under-seat storage on XLT and above)
- 4.2" LCD Productivity Screen (enhanced message center standard on Lariat) with 6 menu choices.
- Safety Canopy® System with roll-fold side-curtain airbags and front-seat-side airbags, standard on all Chassis Cabs.
- Satellite Radio now available on XLT Regular Cab

PACKAGES

- XL Value Package
- XLT Interior Package
- Lariat Interior Package

PACKAGES/OPTIONS CHANGED**FUNCTIONAL/POWERTRAIN**

- 6.8L 3V V10 with 4x4 only available with Manual Transfer Case
- Chassis Cab Mid ship tank now 28 gallons in place of 19 gallon tank.
- F-350 SRW with Base Payload only available with Mid ship fuel tank, previously only available with Aft Axle fuel tank.
- Dual Fuel Tanks not available on Lariats or with AM/FM Radio or Radio Delete
- The 6.7L Power Stroke® diesel achieves California Air Resources Board (Green State) Clean Idle Certification for vehicles over 14,000 lbs GVWR. These vehicles are exempt from the requirement to have an Engine-Idle Shut-off system.

INTERIOR

- SYNC® microphone moved to headliner, no longer requires EC mirror on XL or XLT
- Power-Adjustable Pedals standard on Lariat

PACKAGES/OPTIONS DELETED**FUNCTIONAL/POWERTRAIN**

- 5.4L 3V V8 Gas Engine
- 6-Speed Manual Transmission

PACKAGES

- XL Plus Package
- XLT Convenience Package
- Lariat Plus Package

JOB 2 ORDER GUIDE UPDATES – Effective on all vehicles built on or after Job#2 (11/01/10 – Subject to change)

- LT245/75R A/T BSW (TMB) tires optional on XL F-350 SRW
- CNG/LPG Fuel Capable Engine Package (98G) optional on XL and XLT
- Operator Commanded Regeneration (OCR) (98R) optional on XL and XLT with 6.7L Power Stroke® Diesel
- Vermillion Red Exterior paint on Lariat is now available with Pale Adobe Interior
- Diesel Exhaust Fluid (DEF) Tank Location:
 - Aft-of-axle fuel tank is paired with the DEF tank located in the mid ship location, between the frame rails.
 - Mid ship fuel tank is paired with the DEF tank located outside of the frame rail
 - Dual tanks are paired with the DEF tank located outside of the frame rail
- Easy-Entry/Exit Seat Memory Feature optional on Lariat with 96L
- F450/550 equipped with the 6.7L Power Stroke® Diesel now includes Split-Shaft calibration compatibility
- Power Sliding with Privacy Glass (435) is now optional on XLT (SuperCab/SuperCrew only)
- Heated Backlight (43B) is now optional on Lariat
- Editorial Updates

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com or Dealer eStore for the most current information.

MAJOR PRODUCT SUMMARY

The all-new 2011 F-SUPER DUTY® reinforces the tough image of the F-Series and continues to meet the needs of both commercial and personal use towing customers. The 2011 model year includes all the amenities you were used to in 2010 plus.

The following equipment is standard as indicated. Each series incl. the standard equipment of the previous series, except where additions/exceptions are noted:

| XL | XLT | LARIAT |
|--|--|---|
| <p>Powertrain/Functional</p> <ul style="list-style-type: none"> • Brakes – 4-wheel Anti-lock Braking System (ABS) • Engine <ul style="list-style-type: none"> – 6.2L 2 Valve SOHC EFI modular V8 gas (F-350)★ – 6.8L 3 Valve SOHC EFI modular V10 gas (F-450/F-550) • Manual-Locking Hubs (4x4) • Fuel tank <ul style="list-style-type: none"> – 28 gallon mid ship (F-350 SRW)★ – 40 gallon aft axle (F-350 DRW/F-450/F-550) • Stabilizer bars – front & rear • Stationary Elevated Idle Control (SEIC) • Steering – power • Trailer wiring – 7 wire harness w/relays, blunt cut & labeled • Transmission <ul style="list-style-type: none"> – 6-speed SelectShift Automatic™ O/D (F-350)★ – 5-speed SelectShift Automatic™ O/D (F-450/F-550)★ <p>Exterior</p> <ul style="list-style-type: none"> • "3 Blink" Lane change signal★ • Bumper – front, black painted • Fender vents – front • Front License Plate Bracket • Glass – solar-tinted • Grille – black painted • Headlamps – dual beam jewel effect • Lights – roof/marker clearance lights • Mirrors – manually telescoping trailer tow mirrors w/manual glass & 2-way fold • Tow hooks – (2) front • Underhood service light • Wheels <ul style="list-style-type: none"> – F-350 SRW – 17" steel road wheel – F-350 DRW – 17" argent painted steel – F-450 & F-550 – 19.5" argent painted steel • Window – rear, fixed <p>Interior</p> <ul style="list-style-type: none"> • Air conditioning – manual • Audio – AM/FM stereo w/digital clock & 2 speakers • Door-trim – armrest/grab handle and reflector • Floor covering – black vinyl full • Instrumentation – Multi function switch message center with Ice Blue™ lighting (three button message control on steering wheel)★ • Mirror – rearview 11.5" day/night • Powerpoint, auxiliary • Scuff plates – color-coordinated • Seat – Front, HD vinyl, 40/20/40 split bench w/center armrest, cupholder & storage (manual lumbar – driver side) • Steering wheel – black vinyl, with tilt and telescoping steering column includes three button message control • Sun visors – color-coordinated vinyl, single driver w/pocket, single passenger w/mirror insert★ • Upfitter switches (4) on the instrument panel • Windshield Wipers – interval control • Outside Temperature Display <p>Safety/Security</p> <ul style="list-style-type: none"> • Safety Canopy® System • Driver and Passenger frontal and side airbag/curtain★ • Passenger side airbag deactivation switch (not incl. w/Crew Cab) • Belt-Minder® – chime & flashing warning light on I/P if belts not buckled • Safety Belts – color-coordinated w/height adjustment (front-outboard seating positions only) • SOS Post-Crash Alert System™ | <p><i>All XL content, plus:</i></p> <p>Exterior</p> <ul style="list-style-type: none"> • Bumper – front, chrome • Grille – chrome surround w/medium platinum insert • Mirrors – manually telescoping trailer tow w/power heated glass, integrated clearance lights & 2-way fold • Wheels – F-350 SRW – 17" cast-aluminum • Windows – Rear Privacy Glass <p>Interior</p> <ul style="list-style-type: none"> • Air conditioning vents – black w/chrome ring • Audio <ul style="list-style-type: none"> – Auxiliary audio input jack – Audio – AM/FM stereo w/digital clock/single-CD/MP3 player & 4 speakers • Cruise control (steering wheel-mounted) • Door-trim – soft armrest, grab handle, upper & lower map pockets & reflector • Floor covering – color-coordinated full carpet • Floor mats – color-coordinated carpet • Power equipment – driver window, door-locks & windows w/backlit switches & accessory delay • Seat – front, high-series cloth 40/20/40 split bench – 20% center under-seat storage, w/center armrest, cupholder and storage★ • Sun visors – Color-coordinated vinyl, single driver w/covered mirror, single passenger w/covered mirror★ • Trailer Brake Controller <p>Safety/Security</p> <ul style="list-style-type: none"> • MyKey®★ • Remote keyless-entry & perimeter anti-theft alarm • SecuriLock® Anti-Theft Ignition | <p><i>All XLT content, plus:</i></p> <p>Powertrain/Functional</p> <ul style="list-style-type: none"> • Electronic-Shift-On-the-Fly (4x4 only)★ <p>Exterior</p> <ul style="list-style-type: none"> • Engine – 6.7L OHV Power Stroke® Diesel V8 (F-450/F-550) • Fog lamps • Handles – door, body-color • Mirrors – PowerScope™ power telescoping, PowerFold® trailer tow mirrors w/power heated glass & integrated clearance lights/turn signals • Transmission – 6-speed Automatic O/D SelectShift (F-450/F-550) • Wheels <ul style="list-style-type: none"> – F-350, DRW – 17" forged polished aluminum w/bright hub covers/center ornaments – F-350, SRW – 18" cast-aluminum w/bright hub covers/center ornaments★ – F-450/F-550 – 19.5" forged polished aluminum w/bright hub covers/center ornaments • Window – rear, power-sliding <p>Interior</p> <ul style="list-style-type: none"> • Air conditioning – Dual-Zone Electronic Automatic Temperature Control (DEATC) • Air conditioning vents – silver metallic with chrome ring • Door-trim – soft armrest, grab handle, dark foundry window switch bezel, upper & lower map pockets & reflector • Instrumentation – LCD Productivity Screen: Driver configurable enhanced information 4.2" LCD screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications, and five button message control on steering wheel.★ • Mirror – rearview, electrochromic self-dimming • Power-adjustable pedals★ • Premium AM/FM stereo w/digital clock, single-CD/MP3 player, 8 speakers & subwoofer • Front, premium leather, seating surfaces with monotone leather insert 40/Console/40 Split Bench★ • 10-way Power driver & front-passenger seats (6-way power-adjustable track, 2-way power recline and 2-way power lumbar)★ • SIRIUS® Satellite Radio • Steering wheel – color-coordinated leather-wrapped, five button message control, redundant audio & SYNC® controls • Sun visors – color-coordinated vinyl, single driver w/map strap & covered lighted mirror, single passenger w/covered lighted mirror★ • SYNC® (microphone integrated in headliner) <p>Safety/Security</p> <ul style="list-style-type: none"> • Autolock, auto unlock, autolamp/rain lamp & wired keypad |

Please see Standard Equipment pages for more details.

Product Features Availability

Features, options and package content subject to change.

★ = New for this model year.

**2011 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550)
STANDARD EQUIPMENT**

The following items are standard on every 2011 SUPER DUTY® Chassis Cab vehicle:

| | |
|---|---|
| <p>POWERTRAIN/FUNCTIONAL</p> <ul style="list-style-type: none"> • Brakes – Power 4-wheel disc/4-wheel anti-lock • <u>Fuel tank</u> <ul style="list-style-type: none"> — 28 gallon mid ship (F-350 SRW)★ — 40 gallon aft axle (F-350 DRW/F-450/F-550) — Diesel Exhaust Fluid (DEF) Tank Location: <ul style="list-style-type: none"> ○ Aft-of-axle fuel tank is paired with the DEF tank located in the mid ship location, between the frame rails. ○ Mid ship fuel tank is paired with the DEF tank located outside of the frame rail ○ Dual tanks are paired with the DEF tank located outside of the frame rail • Shock absorbers – heavy-duty gas • Springs, rear auxiliary • Stabilizer bar – front and rear • Stationary Elevated Idle Control (SEIC) • Steering damper • Steering – power • Trailer wiring – 7 wire harness w/relays, blunt cut & labeled • Manual-Locking Hubs (4x4) • Oil minder system (6.2L/6.8L Gas) • Intelligent Oil Life Monitor™ (6.7L Power Stroke® Diesel) ★ <p>EXTERIOR</p> <ul style="list-style-type: none"> • Door handles – Black (Lariat – body-color) • <u>Doors</u> <ul style="list-style-type: none"> — Two (Regular Cab only) — Four (SuperCab/Crew Cab only) • Glass – solar-tinted • Lights – roof clearance • Trailer tow hooks – front (2) | <p>INTERIOR</p> <ul style="list-style-type: none"> • <u>Convenience</u> <ul style="list-style-type: none"> — Auxiliary Powerpoint — Coat hooks, RH/LH color-coordinated — Dash top tray — Dome lamp w/dual map lights (front & rear w/Crew Cab), RH/LH door activated & I/P switch operated w/delay — Grab handles, driver & front-passenger — Roof ride handles, front-passenger (also over rear-doors on Crew Cab) • Door-trim – color-coordinated molded w/grab handle & reflector • Headliner – color-coordinated molded cloth • Hood release • Horn – dual electric • Instrument panel – color-coordinated w/glove box, (4) air registers w/positive shut-off, Powerpoint and upfitter switches (4) • Instrumentation – Multi function switch message center with Ice Blue™ lighting (three button message control on steering wheel) • Scuff plates – color-coordinated • Windshield Wipers – interval control <p>SAFETY/SECURITY</p> <ul style="list-style-type: none"> • <u>Airbags</u> <ul style="list-style-type: none"> — Driver and Passenger frontal and side airbag/curtain★ — Passenger side airbag deactivation switch (Regular Cab/SuperCab) • Belt-Minder®, chime & flashing warning lights on I/P if belts not buckled • Child tethers (Regular Cab front-passenger and all rear-seating positions) • Safety Belts – Color-coordinated safety belts w/height adjustment (front-outboard seating positions only) • SOS Post-Crash Alert System™ |
|---|---|

The following features are standard on selected 2011MY SUPER DUTY® Chassis Cab vehicles:

| KEY FUNCTIONAL FEATURES | XL | XLT | LARIAT |
|---|----|-----|--------|
| Engine | | | |
| ★6.2L 2 Valve SOHC EFI NA V8 Flex-Fuel (F-350) | • | • | • |
| 6.8L 3 Valve SOHC EFI V10 (F-450) | • | • | |
| ★6.7L OHV Power Stroke® Diesel V8 B20 (F-450/F-550) | | | • |
| Transmission | | | |
| ★TorqShift® 5-Speed SelectShift Automatic™ O/D (F-450 Only) | • | • | |
| ★TorqShift® 6-Speed SelectShift Automatic™ O/D (6.2L or 6.7L Engine Only) | • | • | • |
| Alternator | | | |
| ★155 Amp heavy-duty (Gas engines only) | • | • | • |
| 200 Amp extra heavy-duty (Diesel engine only) | • | • | • |
| Axle | | | |
| Mono-beam front axle w/coil spring suspension (F-350 4x4, F-450 and F-550) | • | • | • |
| Twin I-beam front axle w/coil spring suspension (F-350 4x2) | • | • | • |
| Battery | | | |
| 750 CCA, 78 AH, dual (6.7L Diesel) | • | • | • |
| 750 CCA, 78 AH (6.8L Gas) | • | • | • |
| 650 CCA, 72 AH (6.2L Gas Engine) | • | • | • |
| Brakes (ABS) Roll Stability Control™ (RSC®)/Trailer Sway Control | | | |
| SRW Gas – Vacuum Boost (NA w/dual alternators) | • | • | • |
| SRW Diesel – Hydro boost | • | • | • |
| Brakes Engine Only Traction Control (EOTC) | | | |
| DRW Gas & Diesel – Hydro Boost | • | • | • |
| Trailer Brake Controller | | • | • |
| Transfer case – manual w/manual-locking hubs – 4x4 only | • | • | • |
| Fuel Tanks | | | |
| ★28 gallon mid ship (F-350 SRW with base payload) | • | • | • |
| 40 gallon aft axle (F-350 SRW with optional payload, F-350 DRW/F-450/F-550) | • | • | • |

★ = New for this model year.
• = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

2011 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550)
STANDARD EQUIPMENT

| KEY FUNCTIONAL FEATURES (Continued) | XL | XLT | LARIAT |
|---|-----------|------------|---------------|
| <u>Diesel Exhaust Fluid (DEF) Tank Location</u> | | | |
| Aft-of-axle fuel tank is paired with the DEF tank located in the mid ship location, between the frame rails | | | |
| Mid ship fuel tank is paired with the DEF tank located outside of the frame rail | | | |
| Dual tanks are paired with the DEF tank located outside of the frame rail | | | |
| KEY EXTERIOR FEATURES | | | |
| <u>Bumper</u> | | | |
| Front – black painted steel w/grained MIC top cover | • | | |
| Front – chrome steel w/grained MIC top cover | | • | • |
| Fog lamps | | | • |
| <u>Grille</u> | | | |
| Black MIC | • | | |
| Chrome surround w/medium platinum insert | | • | • |
| <u>Mirrors</u> | | | |
| Manually telescoping trailer tow w/manual glass & 2-way fold | • | | |
| Manually telescoping trailer tow w/power/heated glass, heated convex spotter mirror, integrated clearance lights & turn signals & 2-way fold | | • | |
| Power telescoping, PowerFold® trailer tow mirrors w/power heated glass, heated convex spotter mirror & integrated clearance lights/turn signals | | | • |
| <u>Wheels (SRW)</u> | | | |
| 17" Steel Road Wheel (F-350) | • | | |
| 17" Cast-Aluminum (F-350) | | • | |
| ★ 18" Cast-aluminum w/bright hub covers/center ornaments (F-350) | | | • |
| <u>Wheels (DRW)</u> | | | |
| 17" Argent painted steel (hub covers/center ornaments not included (F-350) | • | • | |
| 17" Forged polished aluminum (F-350) | | | • |
| 19.5" Argent painted steel (F-450/F-550) | • | • | |
| 19.5" Forged polished aluminum w/bright hub covers/center ornaments (F-450/F-550) | | | • |
| <u>Windows</u> | | | |
| Fixed rear | • | • | |
| Privacy glass, rear | | • | • |
| Rear-quarter glass, flip out | • (2) | • (2) | • (2) |
| Power-sliding rear | | | • |
| KEY INTERIOR FEATURES | | | |
| <u>Air Conditioning</u> | | | |
| Manual | • | • | |
| Dual-Zone Electronic Automatic Temperature Control (DEATC) | | | • |
| <u>Audio</u> | | | |
| AM/FM stereo w/digital clock & 2 speakers | • | | |
| AM/FM stereo w/digital clock, single-CD/MP3 player & 4 speakers | | • | • |
| ★ Premium AM/FM stereo w/digital clock, single-CD/MP3 player, 8 speakers and subwoofer | | | • |
| Auxiliary audio input jack | | • | • |
| SYNC® | | | • |
| SIRIUS® Satellite Radio | | | • |
| <u>Cupholders</u> | | | |
| Dual, instrument panel-mounted (4x4 requires ESOF on XL/XLT) | • | • | • |
| Integrated w/armrest on Crew Cab rear-seat | | • (3) | • (3) |
| Map pockets w/integrated "closed containers only" cupholders (SuperCab) only | | • (2) | • (2) |
| <u>Door-Trim</u> | | | |
| Armrest/grab handle and reflector | • | | |
| Soft armrest/grab handle, molded upper appliqué, upper & lower map pockets and reflector (appliqué, armrest and power switch bezel are dark accent-color) | | • | |
| Soft armrest/grab handle, dark foundry upper appliqué, upper & lower map pockets and reflector | | | • |
| <u>Floor Covering</u> | | | |
| Black vinyl | • | | |
| Color-coordinated carpet & carpeted floor mats (incl. rear mats on SuperCab & Crew Cab) (deleted when all-weather floor mats are ordered) | | • | • |

★ = New for this model year.

• = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

2011 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550)
STANDARD EQUIPMENT

| KEY INTERIOR FEATURES (Continued) | XL | XLT | LARIAT |
|--|-----------|------------|---------------|
| <u>Instrument Center</u> | | | |
| ★ Multi function switch message center with Ice Blue™ lighting (three button message control on steering wheel) | • | • | |
| ★ LCD Productivity Screen: Driver configurable 4.2" LCD screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-Road applications (5 button message control on steering wheel). | | | • |
| Manual door-locks & windows | • | | |
| Overhead console – garage door opener & sunglasses bin | | | • |
| Manual door-locks and windows | • | | |
| <u>Power Equipment</u> | | | |
| Accessory delay | | • | • |
| Door-locks w/backlit switches | | • | • |
| 1-touch down power window | | • | • |
| Power windows w/backlit switches | | • | • |
| <u>Rearview Mirror</u> | | | |
| 11.5" day/night | • | • | |
| Electrochromic self-dimming w/compass | | | • |
| <u>Seats (Front)</u> | | | |
| HD vinyl 40/20/40 split bench w/center armrest, cupholder and storage | • | | |
| ★ Cloth 40/20/40 split bench, 20% center under-seat storage, w/center armrest, cupholder and storage | | • | |
| ★ Front, premium leather, seating surfaces with monotone leather insert 40/Console/40 | | | • |
| Manual lumbar support, driver side | • | • | |
| ★ Power driver & front-passenger seats 10-Way (6-way power-adjustable track, 2-way power recline and 2-way power lumbar) | | | • |
| <u>Seats (Rear) SuperCab</u> | | | |
| Vinyl, 60/40 fold-up bench seat | • | | |
| Cloth, 60/40 fold-up bench seat | | • | |
| Premium vinyl seating surfaces, 60/40 fold-up bench seat | | | • |
| <u>Seats (Rear) Crew Cab</u> | | | |
| 60/40 bench w/flip-up/fold-down with 2 outboard head restraints and a center head restraint | • | | |
| 60/40 bench w/flip-up/fold-down, with under-seat partitioned lockable storage, 2 outboard head restraints and a center head restraint. 60% driver side under-seat storage has 12V Powerpoint and dual integrated cupholders in armrest | | • | • |
| Vinyl | • | | |
| Cloth | • | • | |
| Premium leather with monotone insert | | | • |
| <u>Steering Wheel</u> | | | |
| Black vinyl (includes three button message control) | • | • | |
| Cruise control | | • | • |
| Tilt and Telescoping steering wheel/column | • | • | • |
| Leather-Wrapped – color-coordinated, w/redundant audio & SYNC® controls (includes five button message control) | | | • |
| Storage – Secondary glove box (4x4 req. Electronic-Shift-On-the-Fly) | • | • | • |
| <u>Sun visors</u> | | | |
| ★ Color-coordinated vinyl, single driver w/pocket, single passenger w/insert | • | | |
| ★ Color-coordinated vinyl, single driver w/covered mirror, single passenger w/covered mirror | | • | |
| ★ Color-coordinated vinyl, single driver w/map strap & covered lighted mirror, single passenger w/covered lighted mirror | | | • |
| <u>SAFETY/SECURITY</u> | | | |
| Autolock, auto unlock, autolamp/rain lamp & SecuriCode™ keyless-entry keypad | | | • |
| Perimeter anti-theft alarm and remote keyless-entry | | • | • |
| <u>Airbags</u> | | | |
| Driver & Passenger side | • | • | • |
| Passenger side deactivation switch | • (1,2) | • (1,2) | • (2) |
| SecuriLock® Anti-Theft Ignition | | • | • |

★ = New for this model year.
• = Available

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only

**2011 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550)
FUNCTIONAL EQUIPMENT**

AXLE AVAILABILITY

| Cab | Engine | Drivetrain | Non-Limited-Slip | | | Limited-Slip | | | Electronic-Locking | |
|-----------|---------------------------|---|------------------|------|------|--------------|----------------|----------------|--------------------|------|
| | | | 3.73 | 4.10 | 4.88 | 4.10 | 4.30 | 4.88 | 3.73 | 4.30 |
| | | | X37 | X41 | X48 | X4N | X4L | X8L | X3E | X4M |
| F-350 SRW | 6.2L 2 Valve SOHC EFI V8 | TorqShift® 6-Spd SelectShift Automatic™ O/D | S | — | — | — | — | — | O | O |
| F-350 SRW | 6.7L 4V Diesel V8 | TorqShift® 6-Spd SelectShift Automatic™ O/D | S | — | — | — | — | — | O | — |
| F-350 DRW | 6.2L 2 Valve SOHC EFI V8 | TorqShift® 6-Spd SelectShift Automatic™ O/D | S | — | — | — | O | — | — | — |
| F-350 DRW | 6.7L 4V Diesel V8 | TorqShift® 6-Spd SelectShift Automatic™ O/D | S | — | — | O | — | — | — | — |
| F-450 | 6.7L 4V Diesel V8 | TorqShift® 6-Spd SelectShift Automatic™ O/D | — | S | — | O | — | — | — | — |
| F-450 | 6.7L 4V Diesel V8 | TorqShift® 6-Spd SelectShift Automatic™ O/D | — | — | — | — | O ¹ | — | — | — |
| F-450 | 6.8L 3 Valve SOHC EFI V10 | TorqShift® 5-Spd SelectShift Automatic™ O/D | — | — | S | — | — | O | — | — |
| F-550 | 6.7L 4V Diesel V8 | TorqShift® 6-Spd SelectShift Automatic™ O/D | — | S | — | O | — | — | — | — |
| F-550 | 6.7L 4V Diesel V8 | TorqShift® 6-Spd SelectShift Automatic™ O/D | — | — | — | — | — | O ² | — | — |
| F-550 | 6.7L 4V Diesel V8 | TorqShift® 6-Spd SelectShift Automatic™ O/D | — | — | — | — | O ³ | — | — | — |
| F-550 | 6.8L 3 Valve SOHC EFI V10 | TorqShift® 5-Spd SelectShift Automatic™ O/D | — | — | S | — | — | O | — | — |

WHEEL AVAILABILITY



17" Argent Painted Steel (XL, SRW)
(Standard) (64A)



17" Cast-Aluminum (XLT, SRW)
(Standard) (64W)



17" Argent Painted Steel (hub covers/center ornaments not included)
(XL & XLT, F-350 DRW)
(Standard) (64K)

¹ Requires Trailer Tow Package, High Capacity (535)

² Requires Payload Upgrade Package (68M). Also available with Trailer Tow Package, High Capacity (535) when ordered with Payload Upgrade Package (68M)

³ Requires Trailer Tow Package, High Capacity (535) with Payload Downgrade Package (68D) or Trailer Tow Package, High Capacity (535) with Base Payload

2011 SUPER DUTY® CHASSIS CAB
(F-350CC / F-450CC / F-550)
FUNCTIONAL EQUIPMENT



17" Forged Polished Aluminum
(Standard Lariat, F-350 DRW & XLT, F-350 DRW) (64J)



18" Argent Painted Steel (XL, SRW) (Optional) (64F)



18" Cast-Aluminum (XLT, SRW) (Optional) (648)



18" Bright Machined Cast-Aluminum (Lariat, SRW) (Standard) (64C)



19.5" Argent Painted Steel (XL & XLT, F-450/F-550 DRW) (Standard) (64Z)



19.5" Forged Polished Aluminum (Standard Lariat, F-450/F-550 DRW) (64D)



17" or 19.5" Stainless Steel Wheel Covers (Front & Rear) (945)

OPTIONAL EQUIPMENT

| | XL | | | | XLT | | | | LARIAT | | | | |
|---|---------|---------|------|-------------|-------|---------|------|-------------|--------|---------|------|-------------|-------|
| | Order | F-350CC | | F-450 CC | F-550 | F-350CC | | F-450 CC | F-550 | F-350CC | | F-450 CC | F-550 |
| | Code | SRW | DRW | | | SRW | DRW | | | SRW | DRW | | |
| | | 630A | 640A | 650A | 660A | 633A | 643A | 653A | 663A | 638A | 648A | 658A | 668A |
| BODYSTYLE & WHEELBASE | | | | | | | | | | | | | |
| Regular Cab 4X2 – Cab to Axle 60" | 141" | F3E | F3G | F4G | F5G | F3E | F3G | F4G | F5G | — | — | — | — |
| Regular Cab 4X2 – Cab to Axle 84" | 165" | — | F3G | F4G | F5G | — | F3G | F4G | F5G | — | — | — | — |
| Regular Cab 4X2 – Cab to Axle 108" | 189" | — | — | F4G | F5G | — | — | F4G | F5G | — | — | — | — |
| Regular Cab 4X2 – Cab to Axle 120" | 201" | — | — | F4G | F5G | — | — | F4G | F5G | — | — | — | — |
| Regular Cab 4X4 – Cab to Axle 60" | 141" | F3F | F3H | F4H | F5H | F3F | F3H | F4H | F5H | — | — | — | — |
| Regular Cab 4X4 – Cab to Axle 84" | 165" | — | F3H | F4H | F5H | — | F3H | F4H | F5H | — | — | — | — |
| Regular Cab 4X4 – Cab to Axle 108" | 189" | — | — | F4H | F5H | — | — | F4H | F5H | — | — | — | — |
| Regular Cab 4X4 – Cab to Axle 120" | 201" | — | — | F4H | F5H | — | — | F4H | F5H | — | — | — | — |
| SuperCab 4X2 – Cab to Axle 60" | 162" | X3E | X3G | X4G | X5G | X3E | X3G | X4G | X5G | X3E | X3G | X4G | X5G |
| SuperCab 4X2 – Cab to Axle 84" | 186" | — | — | X4G | X5G | — | — | X4G | X5G | — | — | X4G | X5G |
| SuperCab 4X4 – Cab to Axle 60" | 162" | X3F | X3H | X4H | X5H | X3F | X3H | X4H | X5H | X3F | X3H | X4H | X5H |
| SuperCab 4X4 – Cab to Axle 84" | 186" | — | — | X4H | X5H | — | — | X4H | X5H | — | — | X4H | X5H |
| Crew Cab 4X2 – Cab to Axle 60" | 176" | W3E | W3G | W4G | W5G | W3E | W3G | W4G | W5G | W3E | W3G | W4G | W5G |
| Crew Cab 4X2 – Cab to Axle 84" | 200" | — | — | W4G | W5G | — | — | W4G | W5G | — | — | W4G | W5G |
| Crew Cab 4X4 – Cab to Axle 60" | 176" | W3F | W3H | W4H | W5H | W3F | W3H | W4H | W5H | W3F | W3H | W4H | W5H |
| Crew Cab 4X4 – Cab to Axle 84" | 200" | — | — | W4H | W5H | — | — | W4H | W5H | — | — | W4H | W5H |
| POWERTRAIN | | | | | | | | | | | | | |
| ★6.2L 2 Valve SOHC EFI NA V8 (Flex-Fuel)/TorqShift® 6-Spd SelectShift Automatic™ | 996/44P | S | S | — | — | S | S | — | — | S | S | — | — |
| 6.8L 3 Valve SOHC EFI V10/TorqShift® 5-Spd SelectShift Automatic™ – O/D | 99Y/44T | — | — | S | S | — | — | S | S | — | — | — | — |
| ★6.7L OHV Power Stroke® Diesel V8 (B20)/TorqShift® 6-Spd SelectShift Automatic™ – O/D | 99T/44W | O | O | O | O | O | O | O | O | O | O | S | S |
| WHEELS | | | | | | | | | | | | | |
| 17" Argent Painted Steel Wheel | 64A | S | — | — | — | F | — | — | — | — | — | — | — |
| 17" Argent Painted Steel (Hub Covers/Center Ornaments not included)(6) | 64K | — | S | — | — | — | S | — | — | — | — | — | — |
| 17" Cast-Aluminum Wheel | 64W | O | — | — | — | S | — | — | — | — | — | — | — |
| 17" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4) | 64J | — | O | — | — | — | O | — | — | — | S | — | — |
| 18" Argent Painted Steel w/Painted hub Cover/Center Ornaments (4) | 64F | O | — | — | — | — | — | — | — | — | — | — | — |
| ★18" Bright Machined Cast-Aluminum w/Bright hub Covers/Center Ornaments (4) | 64C | — | — | — | — | — | — | — | — | S | — | — | — |
| ★18" Cast-Aluminum w/Bright Hub Covers/Center Ornaments (4) | 648 | — | — | — | — | O | — | — | — | — | — | — | — |
| 19.5" Argent Painted Steel (6) | 64Z | — | — | S | S | — | — | S | S | — | — | — | — |
| 19.5" Forged Polished Aluminum w/Bright Hub Covers/Center Ornaments (4) | 64D | — | — | — | — | — | — | O | O | — | — | S | S |
| TIRES | | | | | | | | | | | | | |
| LT245/75Rx17E BSW All-Season (6) | TBK | S | S | — | — | S | S | — | — | — | S | — | — |
| LT275/65Rx18E BSW All-Season (4) | TCH | O | — | — | — | O | — | — | — | S | — | — | — |
| LT245/75Rx17E BSW All-Terrain (6) | TBM | O | O | — | — | — | O | — | — | — | O | — | — |
| LT245/75Rx17E OWL All-Terrain (4) (inner & spare are BSW A/T) | TBL | — | — | — | — | — | O | — | — | — | O | — | — |
| LT275/70Rx18E BSW All-Terrain (4), 4X4 only | TDX | O | — | — | — | O | — | — | — | O | — | — | — |
| LT275/70Rx18E OWL All-Terrain (4), 4X4 only (opt. spare is LT275/70Rx18E BSW A/T) | TDU | — | — | — | — | O | — | — | — | O | — | — | — |
| 225/70Rx19.5G BSW A/S (6) | TFB | — | — | S | S | — | — | S | S | — | — | S | S |
| 225/70Rx19.5G BSW Traction (incl. 4 traction tires on the rear & 2 A/S tires on the front. Opt. spare is BSW A/S) | THB | — | — | O | O | — | — | O | O | — | — | O | O |

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only
★ = New for this model year

S = Standard, O = Optional, P = Packaged Option
F = Fleet Only Option

OPTIONAL EQUIPMENT

| | Order | XL | | | | XLT | | | | LARIAT | | | |
|---|-------|---------|------|-------------|-------|---------|------|-------------|-------|---------|------|-------------|-------|
| | | F-350CC | | F-450 CC | F-550 | F-350CC | | F-450 CC | F-550 | F-350CC | | F-450 CC | F-550 |
| | | Code | SRW | DRW | | SRW | DRW | | | SRW | DRW | | |
| | | 630A | 640A | 650A | 660A | 633A | 643A | 653A | 663A | 638A | 648A | 658A | 668A |
| TIRES (Continued) | | | | | | | | | | | | | |
| 225/70Rx19.5G BSW Max Traction (4X4) (incl. 4 traction tires on the rear & 2 traction tires on the front. Not recommended for over the road applications; could incur irregular front tire wear and/or NVH. Opt. spare is traction) | TGB | — | — | O | O | — | — | O | O | — | — | O | O |
| Hydraulic Jack (2-ton – F-350 SRW / 4-Ton – F-350 DRW / 6-ton F-450 & F550) (Required in RI) | 61J | O | O | O | O | O | O | O | O | O | O | O | O |
| Spare Tire & Wheels (Excl. carrier; Incl. Hydraulic Jack (61J), Required in RI) | 512 | O | O | O | O | O | O | O | O | O | O | O | O |
| ★ Spare Tire & Wheels Delete (only available to Pool Accounts for sales to RI) | 51D | O | O | O | O | O | O | O | O | O | O | O | O |
| GROUPS/PACKAGES (see Packaged Options/Emissions Page for Content and Restrictions) | | | | | | | | | | | | | |
| Trailer Tow Package | 531 | | | O | | | | — | | | | — | |
| ★ XL Value Package | 96V | | | O | | | | — | | | | — | |
| XL Décor Group | 17F | | | O | | | | — | | | | — | |
| Power Equipment Group | 90L | | | O | | | | S | | | | S | |
| ★ XLT Interior Package | 96I | | | — | | | | O | | | | — | |
| ★ Lariat Interior Package | 96L | | | — | | | | — | | | | O | |
| 16,000 GVWR Package (avail. on F-450 only) | 68L | | | O | | | | O | | | | O | |
| Heavy-Service Front Suspension Package | 67H | | | O | | | | O | | | | O | |
| Extra Heavy Suspension Package | 67X | | | O | | | | O | | | | O | |
| Payload Downgrade Package (avail. on F-450 & F-550 only) | 68D | | | O | | | | O | | | | O | |
| Payload Upgrade Package (avail. on F-350 SRW) | 68U | | | O | | | | O | | | | O | |
| Payload Upgrade Package (F-550 only w/141" WB & 6.8L engine) | 68U | | | O | | | | O | | | | — | |
| Payload Upgrade Package (avail. On F-550 only) | 68M | | | O | | | | O | | | | O | |
| Snow Plow Prep Package | 473 | | | O | | | | O | | | | O | |
| Trailer Tow Package – High Capacity (avail. on F-450 & F-550 only) | 535 | | | O | | | | O | | | | O | |
| Low Deflection Package (avail. on F-450 & F-550 only) | 86S | | | O | | | | O | | | | O | |
| ★ CNG/LPG Fuel Capable Engine (avail. on F-450 & F-550 only) | 98G | | | O | | | | O | | | | — | |
| FUNCTIONAL | | | | | | | | | | | | | |
| Electronic-Shift-On-the-Fly – 4X4 (manual-locking hubs & auto rotary control on I/P; NA w/6.8L engine) | 213 | | | O | | | | O | | | | S | |
| Engine Block Heater (std. in AK, CO, IA, ID, ME, MI, MN, MT, ND, NH, NY, SD, VT, WI, WY) | 41H | | | O | | | | O | | | | O | |
| Transfer Case Skid Plates – 4X4 | 41P | | | O (2,3) | | | | O (2,3) | | | | O | |
| Transmission Power Take-Off Provision (Avail. w/6.8L & 6.7L engine) | 62R | | | O | | | | O | | | | O | |
| Engine-Idle Shutdown (avail. w/6.7L Power Stroke® diesel) | 63T | | | O | | | | O | | | | O | |
| ★ Operator Commanded Regeneration (OCR) (requires 6.7L Power Stroke® Diesel; allows driver to manually engage diesel particulate filter regeneration at idle) | 98R | | | O | | | | O | | | | — | |

1 = Regular Cab only, 2 = SuperCab only, 3 = Crew Cab only
★ = New for this model year

S = Standard, O = Optional, P = Packaged Option
F = Fleet Only Option
Ford Division

OPTIONAL EQUIPMENT

| | Order | XL | | | | XLT | | | | LARIAT | | | |
|--|-------|---------|------|-------------|-------|---------|---------|-------------|-------|---------|------|-------------|-------|
| | | F-350CC | | F-450 CC | F-550 | F-350CC | | F-450 CC | F-550 | F-350CC | | F-450 CC | F-550 |
| | | Code | SRW | DRW | | SRW | DRW | | | SRW | DRW | | |
| | | 630A | 640A | 650A | 660A | 633A | 643A | 653A | 663A | 638A | 648A | 658A | 668A |
| FUNCTIONAL (Continued) | | | | | | | | | | | | | |
| Alternators | | | | | | | | | | | | | |
| Dual Alternators (Req. 6.7L diesel) | 67A | | O | | | | O | | | | O | | |
| Fuel Tanks | | | | | | | | | | | | | |
| 28 Gallon Mid Ship (NA w/189" WB Regular Cabs & 200" WB Crew Cabs equipped w/gas engines; standard on SRW w/Base Payload, deletes std 40 gallon aft of axle fuel tank) | 65M | | O | | | | O | | | | O | | |
| Dual Diesel – combines 40 gal aft-of-axle & 28 gal mid ship tank (NA w/SYNC® or In-Dash Computer; Req. Single-CD; Req. DRW) | 65C | | O | | | | O | | | | — | | |
| Trailer Towing Equipment | | | | | | | | | | | | | |
| Manual Telescoping Trailer Tow Mirrors w/Power Heated Glass, Heated Convex Spotter Mirror & Integrated Clearance Lights/Turn Signals (incl. w/90L Power Equipment Group on XL) | 54K | | | P-90L | | | S | | | | — | | |
| PowerScope™ Trailer Tow Mirrors (Power Telescoping, Power-folding w/Power Heated Glass, Heated Convex Spotter Mirror & Integrated Clearance Lights/Turn Signals) | 54F | | — | | | | O | | | | S | | |
| Trailer Brake Controller (TBC verified to be compatible w/electronic actuated drum brakes only. NA w/531 Trailer Tow Pkg.) | 52B | | O | | | | S | | | | S | | |
| Steps | | | | | | | | | | | | | |
| 6" Angular Black Molded-in-Color Running Board | 18B | | O | | | | O | | | | O | | |
| KEY EXTERIOR OPTIONS | | | | | | | | | | | | | |
| Rear-Windows | | | | | | | | | | | | | |
| Manual-Sliding with Privacy Glass | 433 | | F | | | | O (1) | | | | — | | |
| ★ Power-Sliding with Privacy Glass (includes illuminated driver and passenger sun visors mirrors) | 435 | | — | | | | O (2,3) | | | | S | | |
| ★ Heated Backlight/Rear-window Defrost | 43B | | — | | | | — | | | | O | | |
| Rapid-Heat Supplemental Cab Heater (req. 6.7L diesel engine and Dual Alternators (67A); NA w/572 air cond., delete) | 41A | | O | | | | O | | | | O | | |
| Remote Start System (req. Power Equipment Group – 90L) | 76S | | O | | | | O | | | | O | P-96L | |
| Audio | | | | | | | | | | | | | |
| AM/FM Stereo/Single-CD/MP3 Player/Clock with 4 speakers (includes aux audio input jack) | 585 | | F | P-96V | | | S | | | | — | | |
| Satellite Radio | 39S | | — | | | | O | | | | S | | |
| SYNC® (includes USB port; requires 62D Steering Wheel Audio Controls, XL Value Pkg. on XL and XLT Interior Pkg. on XLT; NA with Dual Diesel – 65C or Airbag Delete 557) | 91M | | O | | | | O | | | | S | | |
| Steering Wheel Audio Controls (req. 91M SYNC®) | 62D | | O | | | | O | | | | — | | |
| Floor Covering | | | | | | | | | | | | | |
| Floor Mats, All-Weather (NA w/166 Carpet Delete) | 16S | | — | | | | O | | | | O | | |

OPTIONAL EQUIPMENT

| | Order | XL | | | | XLT | | | | LARIAT | | | |
|---|-------|---------|------|-------------|-------|---------|------|-------------|-------|---------|------|-------------|-------|
| | | F-350CC | | F-450 CC | F-550 | F-350CC | | F-450 CC | F-550 | F-350CC | | F-450 CC | F-550 |
| | | Code | SRW | DRW | | SRW | DRW | | | SRW | DRW | | |
| | | 630A | 640A | 650A | 660A | 633A | 643A | 653A | 663A | 638A | 648A | 658A | 668A |
| KEY EXTERIOR OPTIONS (Continued) | | | | | | | | | | | | | |
| Front-Seats | | | | | | | | | | | | | |
| ★ Cloth 40/20/40 Split Bench | 1 | | | O | | | | — | | | | | — |
| ★ Vinyl 40/Mini Console/40 | L | | | O (1) | | | | — | | | | | — |
| ★ Cloth 40/Mini Console/40 | 2 | | | O | | | | — | | | | | — |
| ★ Luxury Cloth 40/Console/40 (w/6-way power driver) | 2 | | | — | | | | O (2,3) | | | | | — |
| Leather 40/20/40 Split Bench | 6 | | | — | | | | — | | | | | O |
| LPO/FLEET OPTIONS | | | | | | | | | | | | | |
| Adjustable Pedals | 62M | | | — | | | | F | | | | | — |
| Air Conditioning Delete (must put in delete column in CONCEPS; NA w/76S Remote Start) | 572 | | | F | | | | — | | | | | — |
| Ambulance Prep Package | 47A | | | F | | | | F | | | | | F |
| Carpet Delete (replaced w/black floor mat, NA w/16S All-Weather Floor Mats) | 166 | | | — | | | | F | | | | | — |
| Cruise Control | 525 | | | F | | | | — | | | | | — |
| Daytime Running Lamps | 942 | | | F | | | | F | | | | | — |
| Side Airbags/Curtains Delete (valid with Fleet FIN code) | 556 | | | O | | | | — | | | | | — |
| Frontal Passenger and Side Airbags/Curtains Delete (valid with Fleet FIN code; NA w/SYNC® 91M) | 557 | | | O | | | | — | | | | | — |
| Radio Delete | 58Y | | | F | | | | — | | | | | — |
| FORD WORK SOLUTIONS™ (see Packaged Options pages for content and restrictions) | | | | | | | | | | | | | |
| In-Dash Computer by Magneti Marelli™ | 87N | | | O | | | | O | | | | | — |
| Crew Chief™ (Telematics) by Microlise® | 87T | | | O | | | | O | | | | | O |
| Radio Prep Package (req. In-Dash Computer) | 58P | | | O | | | | O | | | | | — |
| CUSTOM ACCESSORIES, PRE-INSTALLED – Limited Production Offerings | | | | | | | | | | | | | |
| ★ Exterior Back-up Alarm | 76C | | | O | | | | O | | | | | O |
| ★ Stainless Steel Wheel Covers – Front & Rear (req. 17" Argent Painted Steel Wheel – 64K or 19.5" Argent Painted Steel Wheel – 64Z) | 945 | | | O | | | | O | | | | | — |

COLOR & TRIM AVAILABILITY

| INTERIOR COLOR | | INTERIOR AND SEAT COLOR | | |
|-----------------------------------|---|-------------------------|--------------|-------|
| | | Steel | Adobe | Black |
| XL | HD Vinyl 40/20/40 split bench w/center armrest, cupholder and storage★ | AS | | |
| | Cloth 40/20/40 Split Bench★ | 1S | | |
| | Vinyl 40/ Mini Console/40 (Regular Cab only)★ | LS | | |
| | Cloth 40/ Mini Console/40★ | 2S | | |
| XLT | Cloth 40/20/40 split bench, 20% center under-seat storage, w/center armrest, cupholder and storage★ | 3S | 3A | |
| | Cloth Luxury 40/Console/40 with 6-way power driver seat (SuperCab & Crew Cab Only; 4x4 Req. ESOF – 213; NA w/Carpet Delete – 166 or 6.8L engine on 4x4)★ | 2S | 2A | |
| LARIAT | Front, premium leather, seating surfaces with monotone insert 40/Console/40; 10-way power driver and passenger seating with matching 60/40 Rear Bench with partitioned locking under-seat storage and 12V Powerpoint★ | | 5A | 5B |
| | Front premium leather seating surfaces with monotone insert 40/20/40 Split Bench; 10-way power driver and passenger seating with matching 60/40 Rear Bench with partitioned locking under-seat storage and 12V Powerpoint | | 6A | 6B |
| EXTERIOR COLOR | | MONOTONE | Availability | |
| XL | | | | |
| Dark Blue Pearl Metallic | DX | • | | |
| Vermillion Red | F1 | • | | |
| Forest Green Metallic | GG | • | | |
| ★Pale Adobe Metallic (Fleet Only) | LQ | • | | |
| ★Tuxedo Black Metallic | UH | • | | |
| Sterling Gray Metallic | UJ | • | | |
| Ingot Silver Metallic | UX | • | | |
| Oxford White | Z1 | • | | |
| XLT | | | | |
| Dark Blue Pearl Metallic | DX | • | | |
| Vermillion Red | F1 | • | • | |
| Forest Green Metallic | GG | • | • | |
| ★Pale Adobe Metallic | LQ | • | • | |
| ★Tuxedo Black Metallic | UH | • | • | |
| Sterling Gray Metallic | UJ | • | | |
| Royal Red Metallic | UK | | • | |
| Ingot Silver Metallic | UX | • | | |
| ★Golden Bronze Metallic | V7 | | • | |
| Oxford White | Z1 | • | • | |
| LARIAT | | | | |
| Dark Blue Pearl Metallic | DX | | | • |
| Vermillion Red | F1 | | • | • |
| Forest Green Metallic | GG | | • | • |
| ★Pale Adobe Metallic | LQ | | • | • |
| White Platinum Metallic Tri-Coat | UG | | • | • |
| ★Tuxedo Black Metallic | UH | | • | • |
| Sterling Gray Metallic | UJ | | | • |
| Royal Red Metallic | UK | | • | • |
| Ingot Silver Metallic | UX | | | • |
| ★Golden Bronze Metallic | V7 | | • | • |
| Oxford White | Z1 | | • | • |

PACKAGED OPTIONS/EMISSIONS

TRAILER TOW PACKAGE (531)

Availability:

- Optional on XL

Not available with:

- Ambulance Prep Package (47A) or Trailer Brake Controller (52B)

Includes:

- Aftermarket trailer brake wiring kit
- Trailer Brake Controller not incl.

NOTE: *Salespersons Source Book or Ford RV Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding req. equipment, axle ratios and model availability.*

★XL VALUE PACKAGE (96V)

Availability:

- Optional on XL

Requires:

- Radio Prep Package (58P) when ordered with In-dash computer (87N)

Includes:

- AM/FM Stereo/Single-CD/MP3 Player/Clock with 4 Speakers
- Cruise Control
- Chrome front step bumper
- Bright chrome hub covers and center ornaments (SRW only)

XL DÉCOR GROUP (17F)

Availability:

- Optional on XL

Includes:

- Chrome front bumper
- Bright chrome hub covers and center ornaments (SRW only)

POWER EQUIPMENT GROUP (90L)

Availability:

- Optional on XL
- Standard on XLT and Lariat

Not available with:

- Air Conditioning Delete (572)

Includes:

- Accessory Delay
- Power locks
- Remote keyless-entry
- Perimeter Anti-theft alarm
- Power front side-windows
- Power rear side-windows (Crew Cab)
- One-touch down window (driver side)
- MyKey®★ (only included on XL when ordered with 585 radio or Radio Prep Pkg. – 58P)
- Manually telescoping trailer tow mirrors w/power/heated glass, Heated Convex Spotter Mirror & integrated clearance lights/turn signals (XL & XLT only)
- PowerScope™ Trailer Tow Mirrors (Power Telescoping, Power-Folding w/Power Heated Glass, Heated Convex Spotter Mirror & Integrated Clearance Lights/Turn Signals) (Lariat only)
- SecuriLock® Anti-Theft Ignition

Options Available:

- PowerScope™ trailer tow mirrors (Power telescoping, Power-folding w/power/heated glass, Heated Convex Spotter Mirror & integrated clearance lights/turn signals) (54F) (XLT only)

Deletes:

- Passenger side lock cylinder

★XLT INTERIOR PACKAGE (96I)

Availability:

- Optional on XLT

Includes:

- Power Driver Seat (6-Way)
- Adjustable Pedals (Power)
- Autolamp/Rain lamp
- Autolock/Auto unlock
- SecuriCode™ keyless-entry keypad

★LARIAT INTERIOR PACKAGE (96L)

Availability:

- Optional on Lariat

Includes:

- Memory Power Heated/Cooled Driver Seat
- Power Heated/Cooled Passenger Seat
- Memory PowerScope™ Trailer Tow Mirrors
- Remote Start System
- Memory Power-Adjustable Pedals
- Easy-Entry/Exit Seat Memory Feature

SNOW PLOW PREP PACKAGE (473)

Availability:

- Optional on all Chassis Cabs

Not available with:

- Heavy-Service Front Suspension Package (67H), Extra Heavy-Service Suspension Package (67X) or Ambulance Prep Package (47A)

Requires:

- 4x4 (F-350 only)

Includes:

- Pre selected springs (See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations)
- Extra Heavy-duty Alternator (67D) w/Power Stroke® diesel engine (Heavy-duty Alternator with gas engine)

Options Available:

- Dual Alternators (67A) (diesel only)

NOTE 1: *Restrictions apply; see Supplemental Reference or Body-Builders Layout Book for details.*

NOTE 2: *Also allows for the attachment of a winch*

HEAVY-SERVICE FRONT SUSPENSION PACKAGE (67H)

Availability:

- Optional on all Chassis Cabs

Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Not available with:

- Ambulance Prep Package (47A), Snow Plow Prep Package (473) or Extra Heavy-Service Suspension Package (67X)

Includes:

- Heavy-service front springs. (Pre selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: *May result in a deterioration of ride quality.*

NOTE 2: *Vehicle ride height will increase w/the addition of this package*

PACKAGED OPTIONS/EMISSIONS

EXTRA HEAVY-SERVICE SUSPENSION PACKAGE (67X)

Availability:

- Optional on all Chassis Cabs

Usage:

- Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR).

Not available with:

- Ambulance Prep Package (47A), Snow Plow Prep Package (473) or Heavy-Service Front Suspension Package (67H)

Includes:

- Extra heavy-service front springs (Pre selected. See Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations.)

NOTE 1: *May result in a deterioration of ride quality.*

NOTE 2: *Vehicle ride height will increase w/the addition of this package*

PAYLOAD UPGRADE PACKAGE (68U)

Availability:

- Optional on F-350 SRW

Requires:

- 18" wheel & Tire

Includes:

- Increased GVWR for increased payload range

NOTE: *See Order Guide Supplemental Reference for further details on GVWR and payload ranges*

PAYLOAD UPGRADE PACKAGE (68U)

Availability:

- Optional on F-550 Chassis Cabs

Requires:

- 4.88 LS axle
- 141" wheelbase on gas engine

Includes:

- Increased GVWR to 19,000 lbs.
- Upgraded frame
- Upgraded rear-axle

NOTE: *See Order Guide Supplemental Reference for further details on GVWR and payload ranges*

AMBULANCE PREP PACKAGE (47A)

Availability:

- Optional on all Chassis Cabs

Usage:

- Incomplete vehicle package – req. further manufacture and certification by a final stage manufacturer
- Ford vehicles are suitable for producing ambulances only if equipped w/the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body-Builders Layout Book (and pertinent supplements).

- Using a Ford vehicle w/o the Ford Ambulance Package to produce an ambulance voids the Ford warranty

Not available with:

- Snow Plow Prep Package (473), Trailer Tow Package (531), Trailer Tow Package, High Capacity (535), Heavy-Service Front Suspension Package (67H) or Passenger Airbag Delete (557) or air conditioning delete (572)

Requires:

- 6.7L 4V diesel engine (99T)

Includes:

- Dual Heavy-Duty Alternators (67A)
- "Standard" width axle incl. w/F-350 SRW
- "Wide-track" axle incl. w/F-350 DRW (X4W)

Options Available:

- Limited-Slip axle optional w/SRW
- "Standard" width 4.10 Limited-Slip rear-axle w/DRW (X4N)

Deletes:

- Standard Trailer Tow Package when ordered on Lariat trim level

NOTE: *Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.*

FORD WORK SOLUTIONS™ – CREW CHIEF™ (87T)

Availability:

- Optional on XL, XLT, & Lariat

Not Available with:

- In-Dash Computer (87N)

Includes:

- Onboard device that tracks vehicle location, speed and idle time with optional vehicle diagnostics and maintenance reports
- Requires additional subscription service

FORD WORK SOLUTIONS™ – IN-DASH COMPUTER (87N)

Availability:

- Optional on XL and XLT

Not Available with:

- Satellite Radio
- SYNC®

Requires:

- Radio Prep Package (58P)

Includes:

- In-dash computer with Microsoft® Auto Operating System
- Touch-Screen
- Radio and internet functionality (requires Sprint® Broadband service – available at Ford corporate rate)
- Wireless keyboard
- Wireless mouse
- Garmin® navigation system
- Audio Input Jack on XL

PACKAGED OPTIONS/EMISSIONS

RADIO PREP PACKAGE (58P)

Availability:

- Required on XL & XLT with In-Dash Computer (87N)
- Only available with In-Dash Computer (87N)

Includes:

- Radio only delete
- 4 Speakers
- Antenna

PAYLOAD PLUS UPGRADE PACKAGE (68M)

Availability:

- Optional on F-550

Not Available with:

- 4.30 and 4.30LS axles
- 141" wheelbase on gas engine

Requires:

- 4.88 LS axle

Includes:

- Increases GVWR from 18,000 lbs. to 19,500 lbs.
- Upgraded frame
- Upgraded rear-axle
- Upgraded springs
- Low deflection/high capacity > 141" wheelbase
- Increases max RGAWR to 14,706

NOTE: See Order Guide Supplemental Reference for further details on GVWR.

PAYLOAD DOWNGRADE PACKAGE (68D)

Availability:

- Optional on all F-450 & F-550 Chassis Cabs

Includes:

- 15,000 lbs. Gross Vehicle Weight Rating (F-450 Only)
- 17,500 lbs. Gross Vehicle Weight Rating (F-550 Only)

16,000 GVWR PACKAGE (68L)

Availability:

- Optional on all F-450 Chassis Cabs

Includes:

- 16,000 lbs. Gross Vehicle Weight Rating

LOW DEFLECTION SPACER (86S)

Availability:

- Optional on all F-450/F-550 Chassis Cabs

Usage:

- Recommended for rear biased loading, such as wrecker/retriever applications

Not available with:

- 141" wheelbase

Includes:

- 2 inch spacer blocks

TRAILER TOW PACKAGE, HIGH CAPACITY – (535)

Availability:

- Optional on all F-450 and F-550

Not available with:

- 47A Ambulance Prep Package

Requires:

- 6.7L Power Stroke® diesel engine
- 4.30 Limited-slip rear-axle (X4L) available on F-450 (or F-550 w/Base Payload or Payload Downgrade Package 68D)
- 4.88 Limited-slip rear-axle (X8L) available on F-550 with Payload Plus Upgrade Package (68M)

Includes:

- Trailer brake wiring kit (not included if 52B Trailer Brake Controller is ordered)
- Increase GCW on diesel engine from 26,000 lbs. to 30,000 lbs. (F-450)
- Increase GCW on diesel engine from 26,000 lbs. to 35,000 lbs. (F-550)
- Upgraded rear-axle
- Trailer brake controller not included

NOTE: Salesperson's Portfolio or Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability. See Supplemental Reference for vehicle height consideration.

★CNG/LPG FUEL CAPABLE ENGINE (98G)

Availability:

- Optional on all F-450 and F-550

Requires:

- 6.8L Gas Engine

Includes:

- Hardened Engine Intake Valves and Valve Seats

NOTE: This package does not include CNG/LPG fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/LPG fueled vehicle. Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or LPG fuel. Ford does not represent that a vehicle converted to use CNG or LPG will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or LPG complies with U.S. Federal, California or Canadian exhaust and evaporative emission requirements, Federal fuel economy standards, U.S. and Canadian safety standards, labeling and any other requirements

PACKAGED OPTIONS/EMISSIONS

Vehicle Special Order (VSO)

FLEET ONLY. See www.fmcdealer.com for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email vsomail@ford.com or call 1.800.34.FLEET, menu 4 with any VSO questions you may have.

High Sulfur Diesel Fuel Usage

Vehicles for intended usage with diesel fuel sulfur content greater than 15ppm require Euro II (>500ppm sulfur) or Euro III (<500ppm sulfur) packages to avoid engine functionality issues.

Packages are available through Export Order Guide with the appropriate US EPA exemption or verifiable export usage.

NOTE: Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in.

NOTE: JP8 fuel is NOT supported with these packages

Leaded Fuel Capable

Package is available through Export Order Guide with the appropriate US EPA exemption or verifiable market usage.

NOTE: Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in.

European Certified Headlamps

European certified headlamp package is available for export usage through Export Order Guide.

NOTE: Post build modification kits are not available. Vehicles must be ordered correctly for the market that they are to be sold and operated in.

MISCELLANEOUS OPTIONS

| | |
|-------------------|-----|
| COV required..... | 79V |
| Priced DORA | C09 |

PAYLOAD PACKAGE SELECTOR CHART – Refer to Supplemental Reference Section for Payload Information.

F-350 VEHICLES ONLY

50-STATE EMISSIONS..... 425

Forced on diesel engines and 6.2L gas engines on F-350 SRW/DRW

F-450 & F-550 VEHICLES ONLY

50-STATE EMISSIONS SYSTEM..... 425

Standard on all gas engine units. Forced on 6.7L diesel.

CLEAN IDLE DECAL

Standard on 6.7L Diesel

POWERTRAIN/DIMENSIONS**ENGINE HORSEPOWER AND TORQUE RATINGS***

| ENGINE DISPL. | TRANSMISSION | NOMINAL COMPRESSION RATIO | 50-STATES | |
|------------------------------|--------------------------------|---------------------------------|--|--|
| | | | HORSEPOWER | TORQUE |
| | | | H.P. @ RPM | FT. LBS. @ RPM |
| ALL | | | | |
| 6.2L 2V V8 (Flex-Fuel) | 6-Speed SelectShift Automatic™ | 9.8:1 | 385 @ 5500 ⁽¹⁾ 316 @ 4179 ⁽²⁾ | 405 @ 4500 ⁽¹⁾ 397 @ 4179 ⁽²⁾ |
| 6.8L 3V V10 | 5-Speed SelectShift Automatic™ | 9.2:1 | 362 @ 4750 | 457 @ 3250 |
| 6.7L Power Stroke® Diesel | 6-Speed SelectShift Automatic™ | 16.2:1 | 300 @ 2800 | 660 @ 1600 |

(1) Under 10,000 GVWR

(2) Over 10,000 GVWR

FUEL ECONOMY

TRUCKS WITH GROSS VEHICLE WEIGHT RATINGS OVER 8,500 POUNDS ARE NOT INCLUDED IN THE EPA FUEL ECONOMY RATING SYSTEM. FUEL ECONOMY INFORMATION ON THESE MODELS IS GENERALLY NOT AVAILABLE BECAUSE OF WIDE VARIANCES IN-VEHICLE LOADING AND OPERATIONAL CONDITIONS BETWEEN VARIOUS CUSTOMER APPLICATIONS.

DIMENSIONS*

| REGULAR CAB | Overall Length | Overall Width | Overall Height | |
|-----------------|----------------|---------------|----------------|------|
| | | | 4x2 | 4x4 |
| 141" WB SRW | 226.5 | 79.6 | 76.9 | 79.9 |
| 141" WB DRW | 226.5 | 93.9 | 80.3 | 80.3 |
| 165" WB DRW | 250.5 | 92.2 | 77.3 | 80.3 |
| 189" WB DRW | 274.5 | 93.9 | 80.6 | 80.4 |
| 201" WB DRW | 286.5 | 93.9 | 80.6 | 80.5 |
| SUPERCAB | | | | |
| 162" WB SRW | 247.5 | 79.6 | 79.7 | 79.7 |
| 162" WB DRW | 247.5 | 92.2 | 77.0 | 80.1 |
| 186" WB DRW | 271.5 | 93.9 | 80.5 | 80.4 |
| CREW CAB | | | | |
| 176" WB SRW | 261.9 | 79.6 | 77.7 | 80.5 |
| 176" WB DRW | 261.9 | 92.2 | 78.0 | 80.8 |
| 200" WB DRW | 285.9 | 93.9 | 80.6 | 80.6 |

*All dimensions are preliminary figures