

MAJOR PRODUCT FEATURES

MODEL/SERIES/AVAILABILITY

- New for 2011 MY
 - XL Wagon Discontinued
 - XLT Premium Now Available
 - Power Group Now Available on XL Van (Fleet Only)
 - Mobility Package
 - Taxi Package
 - CNG/LPG Prep Package
 - Front Fog Lamps Standard on Wagons
 - Rear 255 degree hinged doors (66B) are not available with XLT Premium

AVAILABLE CONFIGURATIONS

- The Transit Connect line up consists of 8 Body Code/Order Code combinations that enable custom ordering to accommodate your customer's needs.
- Van XL
 - No 2nd row seating
 - No windows
 - Rear-door privacy glass
 - Rear-door and side door privacy glass
- Van XLT
 - No 2nd row seating
 - No windows
 - Rear-door privacy glass
 - Rear-door and side door privacy glass
- Wagon
 - XLT (front cloth bucket seats with three passenger 2nd row cloth bench seat)
 - Includes side door/rear-door privacy glass
 - XLT Premium (front cloth buckets seats with three passenger 2nd row cloth bench seat)
 - Includes flip-open 3rd row windows

JOB 2 ORDER GUIDE UPDATES – Effective on all vehicles built on or after Job#2 (01/17/11 – Subject to Change)

- Final Drive Ratio changed to 3.96:1
- Heated Windshield Defroster (43D) optional on XLT & XLT Premium Wagon
- Taxi Blower Kit (55B) optional with Taxi Package (86T)
- All-Weather Floor Mats (164) and Premium Carpeted Floor Mats (163) are not available with Taxi Package (86T).

LATEST ORDER GUIDE UPDATES

- The following options are not available with Taxi Package (86T)
 - Electric Heated Windshield Defroster (43D)
 - Speed Control
 - Privacy Glass

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com or Dealer eStore for the most current information.

MAJOR PRODUCT SUMMARY

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where additions/exceptions are noted:

| Van XL | Van XLT | Wagon XLT | Wagon XLT Premium |
|---|---|--|---|
| <p>Powertrain/Functional</p> <ul style="list-style-type: none"> • 100,000-mile tune-up interval • Alternator – 150A • Battery – maintenance-free • Brakes – Power front disc/rear drum • Engine – Duratec® 2.0L DOHC I4 • Fuel Tank – 15.4 gal (57.0L) • Horn – single note • Steering – Rack & Pinion • Suspension – front MacPherson-strut w/stabilizer bar, rear multi leaf w/stabilizer bar • Transaxle <ul style="list-style-type: none"> – 4 speed automatic with overdrive – Final drive ratio: 3.96:1 <p>Exterior</p> <ul style="list-style-type: none"> • Bumpers – grey, molded-in-color w/rear step • Doors – LH/RH sliding side – Rear 180 degree swing open • Lighting <ul style="list-style-type: none"> – Head lamps – polycarbonate – Tail lamps – wrap around w/amber turn signal and integrated fog lamps • Mirrors – Integrated spotter manual LH/RH, black • Moldings – Body side and wheel opening, grey, molded-in-color • Tires – P205/65R-15 BSW (4) and full-size spare • Wheels – 15" steel with 6 spoke wheel cover • Wipers – front variable-speed; rear 2-speed. Not included w/100A and 110A <p>Interior</p> <ul style="list-style-type: none"> • Air conditioning – manual • Audio – AM/FM stereo, 2 speakers • Center console with 3 cup holders (1 in stowage bin), Powerpoint and 2 stowage bins • Lighting – front-passenger area dome, 2nd row and rear cargo domes • Mirror – Day/night Rearview mirror (N/A w/100A and 110A) • Overhead stowage shelf with net • Powerpoints – 1 Powerpoint; 1 cigarette lighter • Seats – Driver and front-passenger cloth buckets • Steering wheel – tilt/telescopic • Windows/locks – manual <p>Safety/Security</p> <ul style="list-style-type: none"> • Airbags – front and side • Brakes – 4-wheel anti-lock • Locking exterior hood release • Tire Pressure Monitoring System (TPMS) | <p><i>Includes all XL content, plus:</i></p> <p>Exterior</p> <ul style="list-style-type: none"> • Bumpers – painted, body-color • Defroster Package (rear defrost/heated mirrors NA w/110A) • XLT badging <p>Interior</p> <ul style="list-style-type: none"> • Audio – AM/FM stereo w/single-CD player, audio input jack, 2 speakers • Audio input jack in center console • Cruise Control • Electronic Passive Anti-Theft System (EPATS) • Map lights – dual front • Power Group – includes: power windows, locks, exterior integrated spotter mirrors, remote keyless-entry w/two key fobs • Powerpoint – 12V (single, in cargo area) | <p>Powertrain/Functional</p> <ul style="list-style-type: none"> • 100,000-mile tune-up interval • Alternator – 150A • Battery – maintenance-free • Brakes – Power front disc/rear drum • Engine – Duratec® 2.0L DOHC I4 • Fuel Tank – 15.4 gal (57.0L) • Horn – single note • Steering – Rack & Pinion • Suspension – front MacPherson-strut w/stabilizer bar, rear multi leaf w/stabilizer bar • Trans axle <ul style="list-style-type: none"> – 4 speed automatic with overdrive – Final drive ratio: 3.96:1 <p>Exterior</p> <ul style="list-style-type: none"> • Body-color door handles and mirror skull caps • Bumpers – painted, body-color • Defroster Package (rear defrost/heated integrated spotter mirrors) • Doors – LH/RH sliding side – Rear 180 degree swing open • Front fog lamps • Lighting <ul style="list-style-type: none"> – Headlamps – polycarbonate – Tail lamps – wraparound w/amber turn signal and integrated fog lamps • Mirrors – Integrated spotter manual LH/RH • Moldings – Body side and wheel opening, grey, molded-in-color • Platinum grille and chrome hood appliqué • Tires – P205/65R-15 BSW (4) and full-size spare • Wheels – 15" steel with 6 spoke wheel cover • Wipers – front variable-speed; rear 2-speed • XLT badging <p>Interior</p> <ul style="list-style-type: none"> • Air conditioning – manual • Audio – AM/FM stereo w/single-CD player, audio input jack, 4 speakers • Center console with 3 cup holders (1 in stowage bin), audio input jack, Powerpoint and 2 stowage bins • Lighting – front-passenger area dome, rear cargo dome • Map lights – dual front • Mirror – Day/night Rearview mirror (N/A w/100A and 110A) • Overhead stowage shelf with net • Power Group – includes: power windows, locks, exterior integrated spotter mirrors, remote keyless-entry w/two key fobs • Powerpoint – 12V (single, behind 2nd row seat) • Powerpoints – 1 Powerpoint; 1 cigarette lighter • Seats – Driver and front-passenger cloth buckets, 2nd row, 3 passenger, split-folding (60/40) cloth bench • Steering wheel – tilt/telescopic • Windows – 2nd row fixed glass • Windows/locks <p>Safety/Security</p> <ul style="list-style-type: none"> • Airbags – front and side • Brakes – 4-wheel Anti-Lock • Electronic Passive Anti-Theft System (EPATS) • Locking exterior hood release • Roll Stability Control™ (RSC®) • Tire Pressure Monitoring System (TPMS) | <p><i>Includes all XLT content, plus:</i></p> <p>Interior</p> <ul style="list-style-type: none"> • Rear cargo-door pocket stowage • Rear wheel house covers and belt line trim • Windows – 2nd row fixed glass; 3rd row flip-open glass |

Please see Standard Equipment pages for more details.

Product Features Availability

Features, options and package content subject to change.

* = New for this model year

2011 TRANSIT CONNECT STANDARD EQUIPMENT

The following features are standard on select 2011MY TRANSIT CONNECT vehicles:

| POWERTRAIN/FUNCTIONAL | Van XL | Van XLT | Wagon XLT | Wagon XLT Premium |
|--|--------|---------|-----------|-------------------|
| Alternator | | | | |
| 150 Amp/hr | • | • | • | • |
| Battery | | | | |
| 50 Amp/hour, 500 Cold Cranking Amp (CCA) | • | • | • | • |
| Brakes | | | | |
| Brakes – Power Front Disc, Rear Drum, 4-wheel ABS | • | • | • | • |
| Drive train | | | | |
| Front wheel drive | • | • | • | • |
| Suspension | | | | |
| Front – Independent MacPherson-strut w/stabilizer bar | • | • | • | • |
| Rear – multi leaf beam axle w/stabilizer bar | • | • | • | • |
| KEY EXTERIOR FEATURES | | | | |
| Bumpers | | | | |
| Molded-in-color, grey w/rear step | • | — | — | — |
| Body-color, painted w/rear step | — | • | • | • |
| Defroster Package | — | • | • | • |
| Door Handles – Body-color | — | — | • | • |
| Door Handles – black, molded-in-color | • | • | — | — |
| Grille – 3 bar with locking hood latch (integrated in the Ford oval) | | | | |
| Grey | • | • | — | — |
| Platinum with chrome hood appliqué | — | — | • | • |
| Front Fog Lamps | — | — | • | • |
| Mirrors | | | | |
| Manual adjusting LH/RH side integrated spotter mirror (manual flat folding), black | • | — | — | — |
| Power heated adjusting LH/RH side integrated spotter mirror (manual flat folding), black | — | • | • | • |
| Body-color mirrors | — | — | • | • |
| Inside Rearview mirror – day/night (N/A w/100A & 110A) | • | • | • | • |
| Moldings | | | | |
| Body side – grey, molded-in-color | • | • | • | • |
| Wheel lip – grey, molded-in-color | • | • | • | • |
| Wipers – Front variable-speed; rear 2-speed. Not included w/100A and 110A | • | • | • | • |
| KEY INTERIOR FEATURES | | | | |
| Air Conditioning – manual control | • | • | • | • |
| Audio/Entertainment | | | | |
| AM/FM stereo receiver, 2 speakers | • | — | — | — |
| AM/FM stereo receiver, w/single-CD, audio input jack, 2 speakers | — | • | — | — |
| AM/FM stereo receiver, w/single-CD, audio input jack, 4 speakers | — | — | • | • |
| Cup holders – dual front | • | • | • | • |
| Door-trim Panels – Driver and front pass include map pocket | • | • | • | • |
| Center Console – Includes two large cupholders, two stowage bins (with 1 additional folding cupholder), audio input jack | • | • | • | • |
| Floor Covering | | | | |
| Front – carpeted | • | • | • | • |
| 2 nd row – carpet | — | — | • | • |
| Rear cargo – vinyl | • | • | • | • |
| Headliner – Full-length molded cloth | • | • | • | • |
| Instrumentation – Speed, tachometer, fuel level, temperature, digital clock | • | • | • | • |
| Lighting | | | | |
| Dome lamps (front, middle and rear) | • | • | • | • |
| Power Equipment Group – windows, locks, exterior mirrors, remote keyless-entry with 2 key fobs | — | • | — | • |
| Powerpoint | | | | |
| 12V front (1 Powerpoint; 1 cigarette lighter) | • | • | • | • |
| Single, 12V rear cargo area in van; behind 2 nd row seat in wagon | — | • | • | • |

2011 TRANSIT CONNECT STANDARD EQUIPMENT

| KEY INTERIOR FEATURES (Continued) | Van XL | Van XLT | Wagon XLT | Wagon XLT Premium |
|---|--------|---------|-----------|-------------------|
| Seats | | | | |
| Front driver cloth bucket – manual 6-way adjustment (fore/aft/up/down/recline), w/armrest, manual lumbar adjustment, map pocket behind seat | • | • | • | • |
| Front passenger cloth bucket – manual 4-way adjustment (fore/aft/recline) | • | • | • | • |
| 2 nd row – manual split-fold (60/40) 3 pass cloth | — | — | • | • |
| Smoker's Package – Includes ash tray and lighter | • | • | • | • |
| Steering Wheel – dark grey urethane with tilt/telescopic feature | • | • | • | • |
| Cruise control | — | • | • | • |
| Sun Visors – Driver w/neck strap, passenger w/non lighted mirror | • | • | • | • |
| Windows | | | | |
| 2 nd Row Fixed Glass | — | — | • | — |
| 2 nd Row Fixed Glass; 3 rd Row Flip open Glass | — | — | • | — |
| Privacy Glass | • | • | • | • |
| Manual windows/locks | • | — | — | — |
| Safety/Security | | | | |
| Airbags – driver and front-passenger– front and side | • | • | • | • |
| Anti-Lock braking system (4-wheel) | • | • | • | • |
| Collapsible steering column | • | • | • | • |
| Locking exterior hood release | • | • | • | • |
| Tire Pressure Monitoring System (TPMS) | • | • | • | • |

WHEEL AVAILABILITY



Full Wheel Cover Standard
on all Transit Connect
Models

2011 TRANSIT CONNECT OPTIONAL EQUIPMENT

| | Order Code | Van XL | Van XLT | Wagon XLT | Wagon XLT Premium |
|---|------------|---------|---------|-----------|-------------------|
| BODY STYLE | | | | | |
| Cargo Van – No side door or rear-door glass | 100A | S7A | — | — | — |
| Cargo Van – No side door or rear-door glass | 110A | — | S7B | — | — |
| Cargo Van – Includes rear-door privacy glass (no side door glass) | 200A | S7C | — | — | — |
| Cargo Van – Includes rear-door privacy glass (no side door glass) | 210A | — | S7D | — | — |
| Cargo Van – Includes side door/rear-door privacy glass | 300A | S6A | — | — | — |
| Cargo Van – Includes side door/rear-door privacy glass | 310A | — | S6B | — | — |
| Wagon – Includes side door/rear-door privacy glass | 510A | — | — | S9B | — |
| Wagon – Includes side door/rear-door/and 3 rd row privacy glass | 520A | — | — | — | S9C |
| KEY OPTIONS | | | | | |
| CNG/LPG Engine Prep | 90G | O | O | O | O |
| Doors – rear cargo 255 degree hinged opening. *Available with Fleet XL Power Group Only | 66B | O-P86L* | O | O | — |
| Van XL Power Group (Valid with FIN code) | 86L | O | — | — | — |
| Reverse Sensing System (non disabling) | 76R | O-P86L* | O | O | O |
| Roll Stability Control™ (RSC®) | 67R | O | O | S | S |
| Modified Wiring (requires 67R) | 61S | — | O | O | O |
| Rearview Camera (*N/A w/86L or 67R with 100A, 200A or 300A) | 65C | O* | O | O | O |
| 2 nd Row Privacy Glass – Passenger Side Only (N/A 200A/210A/300A/310A) | 55S | O | O | — | — |
| Electric Heated Windshield Defroster (N/A with Taxi Package 86T) | 43D | — | — | O | O |
| Nokia® Bluetooth® System – N/A with FWS In-dash Computer & Tool Link™ (47D, 47T) | 91C | — | O | O | O |
| Engine Block Heater | 41H | O | O | O | O |
| Daytime running lights | 942 | O | O | O | O |
| Front License Plate Bracket | 153 | O | O | O | O |
| Taxi Package | 86T | — | — | — | O |
| Taxi Blower Kit (*Available with Taxi Pkg. Only 86T) | 55B | — | — | — | O-P86T* |
| Spare Keys (2 Additional) *N/A w/86L Fleet Power Group | 87M | O* | — | — | — |
| Key Fobs (2 Additional) *Available w/Fleet XL Power Group Only | 87R | O-P86L* | O | O | O |
| VEHICLE PERSONALIZATION OPTIONS | | | | | |
| All-weather Floor Mats – Front Row | 16V | O | O | — | — |
| All-weather Floor Mats – Front & Rear. Not available with Taxi Package (86T). | 164 | — | — | O | O |
| Premium Carpeted Floor Mats – Front Row | 16C | O | O | — | — |
| Premium Carpeted Floor Mats – Front & Rear center. Not available with Taxi Package (86T). | 163 | — | — | O | O |
| Remote start | 603 | — | O | O | O |
| Splash guards | 96F | O | O | O | O |
| FORD WORK SOLUTIONS™ (see Packaged Options pages for content & restrictions) | | | | | |
| In-Dash computer by Magneti Marelli™ – N/A with (47C) Crew Chief™ Telematics or Nokia® (91C) – Late Availability | 47D | O | O | O | O |
| Crew Chief™ (Telematics) by Microlise® N/A with (47D) In-Dash Computer | 47C | O | O | O | O |
| Tool Link™ by DEWALT® (requires In-dash computer 47D) N/A with 300A or 310A; N/A w/Nokia® (91C) – Late Availability | 47T | O | O | — | — |

★ = New for this model year

A = Auto Trans required, S = Standard, O = Optional, P = Packaged Option,

R = Required, F = Fleet Option with valid FIN code
Ford Division

COLOR & TRIM AVAILABILITY

| Interior Color | | Availability | | | |
|--------------------------------|------|--------------|---------|-----------|-------------------|
| | | Van XL | Van XLT | Wagon XLT | Wagon XLT Premium |
| Dark Grey – Cloth | | 8K | 8K | 8K | 8K |
| Dark Grey – Vinyl ¹ | | | | | EK ¹ |
| EXTERIOR COLOR | CODE | Availability | | | |
| XL | | | | | |
| School Bus Yellow ¹ | BY | | | | • |
| Torch Red | D3 | • | • | • | • |
| Silver Metallic | TY | • | • | • | • |
| Panther Black Metallic | UE | • | • | • | • |
| Dark Blue | UV | • | • | • | • |
| Frozen White | Z2 | • | • | • | • |

¹ School Bus Yellow w/Vinyl Seats and unpainted black bumpers only Available w/Taxi Package (86T)

PACKAGED OPTIONS/EMISSIONS

FORD WORK SOLUTIONS™ – IN-DASH COMPUTER BY MAGNETI MARELLI™ (47D) – LATE AVAILABILITY

Availability:

- Optional on all vans and wagons (N/A w/Crew Chief™ (47C) or Nokia® Bluetooth® System (91C))

Includes:

- In-dash computer with Microsoft® Auto Operating System
- Touch-screen
- Radio and internet functionality – requires Sprint® Broadband service available at Ford Corporate rate (first 6 months are included at no-charge)
- Wireless keyboard and mouse
- Garmin® navigation system

FORD WORK SOLUTIONS™ – CREW CHIEF™ (TELEMATICS) BY MICROLISE® (47C)

Availability:

- Optional on all vans and wagons (N.A w/In-dash Computer (47D))

Includes:

- Onboard device that tracks vehicle location, speed and idle time with optional vehicle diagnostics and maintenance reports
- Requires additional subscription service

FORD WORK SOLUTIONS™ – TOOL LINK™ BY DEWALT® (47T) – LATE AVAILABILITY

Availability:

- Optional on vans only (N/A with 300A and 310A or Nokia® Bluetooth® (91C))

Requires:

- In-dash Computer (47D)

Includes:

- Works with the In-Dash Computer. Includes 50 Radio Frequency ID (RFID) tags to inventory your most expensive or important tools or items.

CNG/LPG FUEL CAPABLE ENGINE PREP PACKAGE (90G)

Availability:

- Duratec® 2.0L DOHC I4 Engine

Includes:

- Hardened Engine Intake Valves, Exhaust Valves and Valve Seats

NOTE: This package does not include CNG/LPG fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with a Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/LPG-fueled vehicle.

Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or LPG fuel. Ford does not represent that a vehicle converted to use CNG or LPG will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or LPG complies with U.S. Federal, California or Canadian exhaust and evaporative emission requirements. Federal fuel economy standards, U.S. and Canadian safety standards, labeling and other requirements.

MODIFIED VEHICLE WIRING (61S)

Includes:

- Five wire harness with blunt cut leads for customized aftermarket electrical connections. Three wires are fused power circuits and two wires are dash panel pass through open circuits with access to engine compartment.

SPECIAL ORDERS

FLEET XL POWER GROUP (86L) – FLEET ONLY

Availability:

- Optional on XL van only

Includes:

- Power door-locks, windows, mirrors and cruise control

Optional:

- Reverse sensing system
- 255-degree rear cargo-doors

MOBILITY MOTORING PACKAGE (86M)

Availability:

- Optional on XLT Premium Wagon Only

Not Available with:

- Taxi Package (86T)

Includes:

- Heavy-duty Battery
- Upfitter Wiring Harness

TAXI PACKAGE (86T)

Availability:

- Optional on XLT Premium Wagon Only (520A)

Not Available with:

- Spare Key Fobs (87R)
- Upfitter Wiring Harness (61S)
- Nokia® Bluetooth® options (91C)
- Mobility Motoring Package (86M)
- Electric Heated Windshield Defroster (43D)

Includes:

- Repositioned 2nd row seat
- Solar tint Glass (clear glass with light tint)
- Heavy duty Battery
- Wiring Block Connector
- Rear air/heat blower w/passenger controls
- Grab handles on B-pillar
- Vinyl seats
- Vinyl floor covering in second-row seating and rear cargo areas
- Body-color painted bumpers with black wheel arches (not included with School Bus Yellow paint)
- Roof Lamp Access Hole (prewired for Taxi Light)

Optional:

- School Bus Yellow Paint (unpainted black bumpers)
- Ford Works Solutions (47D/47C)
- Taxi Blower Kit (55B)

Excludes:

- Fog Lamps
- Electronic Passive Anti-Theft System (EPATS)
- Privacy Glass
- Cruise Control

NOTE: Taxi Blower Kit (55B) recommended if upfitting with after-market bulkhead

NOTE: Unpainted door handles, mirror and grille

(Fleet Only. See www.fmcdealer.com for ordering guidelines/restrictions.)

PACKAGED OPTIONS/EMISSIONS

MISCELLANEOUS

COV Required 79V
 Priced DORA C09

CALIFORNIA EMISSIONS STATES/CROSS BORDER STATES***

50-STATE EMISSIONS SYSTEM 425

Required on units for California, Connecticut, Massachusetts, Maryland, Maine, New Jersey, New Mexico, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington registration. For orders submitted by dealers in Cross Border States*** 50-States Emissions is optional. Available, as a Fleet only option.

CALIFORNIA EMISSIONS SYSTEM NOT REQUIRED 423

Control code for units either shipped to California Emissions States dealers or ordered by California Emissions States dealers for registration in non California States locations. **Note:** In Maine, Rhode Island and Vermont, dealers cannot order vehicles for customers in non California Emission State locations (except Public Service/Emergency Vehicles – 936)

CALIFORNIA PUBLIC SERVICE/EMERGENCY VEHICLE EXCEPTION 936

Only available on units sold to authorized governmental units and privately-owned ambulance companies. Must also use Code 423 when ordering.

NON CALIFORNIA/NON-CROSS BORDER STATES DEALER ORDER FOR CALIFORNIA STATES REGISTRATION..... 93N

Required on all units ordered by dealers for California Emissions States registrations when the vehicles are being delivered to non California Emissions, non-Cross Border States locations. Also requires 425 50-states Emissions System

*****CROSS BORDER STATES**

Cross Border States are Arizona, Colorado, Delaware, Idaho, Ohio, Oklahoma, Texas, Utah, Nevada, New Hampshire, Virginia and West Virginia.

FRONT LICENSE PLATE BRACKETS

Standard in States requiring two license plates and optional to all others..... 153

★ = New for this model year

POWERTRAIN/DIMENSIONS**FUEL ECONOMY**

| ENGINE DISPL. | TRANSAXLE | 50-STATES | | |
|--------------------------------------|------------------------|------------------------|----------------------------------|---------------------------------|
| | | F.E. LABEL ADJUSTED | ESTIMATED ANNUAL FUEL COST | MEMO: UNADJUSTED COMBINED |
| | | CITY | HIGHWAY | |
| Order code (99N) Order Code (442) | | | | |
| 2.0L I-4 | 4-Speed Auto Overdrive | 21 | 26 | \$1,239 30.3673 |

ENGINE HORSEPOWER AND TORQUE RATINGS*

| ENGINE DISPL. | TRANSAXLE | NOMINAL COMPRESSION RATIO | 50-STATES | |
|---------------|------------------------|---------------------------------|--------------------------|--------------------------|
| | | | HORSEPOWER H.P. @ RPM | TORQUE FT. LBS. @ RPM |
| 2.0L I-4 | 4-Speed Auto Overdrive | 10.0:1 | 136@6,300 | 128@4,750 |

*NOTE: All horsepower and torque numbers are preliminary

DIMENSIONS*

| Dimensions (in.) | Measurements |
|---|--------------|
| Overall length | 180.7 |
| Overall width (with/without mirrors) | 83.2/70.7 |
| Overall Height – Unloaded | 79.3 |
| Overall Height – Loaded | 77.0 |
| Front overhang | 36.5 |
| Wheelbase | 114.6 |
| Rear overhang | 29.5 |
| Rear-door opening width (at floor) | 50.2 |
| Rear-door opening height | 52.1 |
| Load width between wheel arches | 48.1 |
| Load width (cargo width at floor, excluding wheelhouse) | 59.8 |
| Sliding side door opening height | 46.9 |
| Load-floor to ceiling height | 59.1 |
| Load length | 81.0 |
| Load length (rear-door to front-seatbacks) | 72.6 |
| Loading height | 23.1 |
| Front track | 59.3 |
| Rear track | 61.1 |
| Ground clearance (min.) | 7.9 |
| Additional Dimensions (in inches unless otherwise noted) | |
| Front head room | 51.1 |
| Front shoulder room | 54.4 |
| Front hip room | 50.8 |
| Front leg room | 40.5 |
| Cargo Volume (cu. ft.) | |
| with 2 nd row seat operational | 78.1 |
| with 2 nd row seat folded flat | 118.7 |
| with 2 nd row seat removed | 135.3 |
| Other | |
| Turning circle (curb to curb) (ft.) | 39.0 |
| GVWR (lbs.) Cargo Van | 5,005 |
| GVWR (lbs.) Wagon | 4,965 |
| Payload (lbs.) | 1,600 |

* Dimensions are preliminary figures